
Test Your Tech

A local area network is:

- A. An exclusive social club.
- B. A group of computers, usually in a single building, connected by cables.
- C. Local television affiliates of the big networks.

Test Your Tech

A local area network is:

- A. An exclusive social club.
- B. A group of computers, usually in a single building, connected by cables.
- C. Local television affiliates of the big networks.

Announcements

- Videocasts of the course are available within a couple hours after each lecture
 - Linked at top of Calendar on the course Web site

Drop-In Labs—11:30-12:20

- MGH 030

- ❑ October: 1st, 15th, 17th, 22nd
- ❑ December 3rd

- MGH 044

- ❑ September: 24th, 26th, 29th
- ❑ October: 3rd, 6th, 10th, 20th, 24th, 29th, 31st
- ❑ November: 5th, 7th, 14th, 21st, 26th
- ❑ December: 1st and 5th

Drop-In Labs—11:30-12:20

- MGH 030
 - ❑ October: 1st, 15th, 17th, 22nd
 - ❑ December 3rd
- MGH 044
 - ❑ September: 24th, 26th, 29th
 - ❑ October: 3rd, 6th, 10th, 20th, 24th, 29th, 31st
 - ❑ November: 5th, 7th, 14th, 21st, 26th
 - ❑ December: 1st and 5th

Get help
outside of
your
regular lab
or lecture

Drop-In Labs

- More dates and times are coming!



Networking

More than just a social interaction

Networks...

Computers are useful alone, but are better when connected (networked)

- ❑ Access more information and software than is stored locally
- ❑ Help users to communicate, exchange information ... changing ideas about social interaction
- ❑ Perform other services -- printing, Web,...

UW's networks move more than trillion bytes per day

Networking Changes Life

The Internet is making fundamental changes

1. Nowhere is remote—access to info is no longer bound to a place
2. Connecting with others—email is great
3. Revised human relationships—too much time spent online could be bad
4. English becoming a universal language
5. Enhanced freedom of speech, assembly

Network Structure

Networks are structured differently based (mostly) on how far apart the computers are

- ❑ Local area network (LAN) -- a small area such as a room or building
- ❑ Wide area networks (WAN) -- large area, e.g. distance is more than 1 Km

Internet: all of the wires, fibers, switches, routers etc. connecting named computers

Basic Types of Networks

Network Type	Differentiating Factors
Peer-to-Peer	<ul style="list-style-type: none"> • No computer running server software
Server-Based Networks	<ul style="list-style-type: none"> • Computer running server software manages network traffic
<ul style="list-style-type: none"> • Local Area Network (LAN) 	<ul style="list-style-type: none"> • Limited geographical area • One-time capital cost (wire or fiber optics cable installation)
<ul style="list-style-type: none"> • Wide Area Network (WAN) 	<ul style="list-style-type: none"> • Across town or across the globe • Third-party service provider (monthly \$\$) • More bandwidth = more expense • Connects to LANs with a router
<ul style="list-style-type: none"> • Campus Network 	<ul style="list-style-type: none"> • One-time capital expense • Buildings in close proximity
<ul style="list-style-type: none"> • Metropolitan Area Network (MAN) 	<ul style="list-style-type: none"> • Clusters of buildings in close proximity separated from other clusters • Third-party service provider (monthly \$\$)

Protocol Rules!


To communicate computers need to know how to set up the info to be sent and interpret the info received

- ❑ Communication rules are a *protocol*
- ❑ Example protocols
 - EtherNet for physical connection in a LAN
 - TCP/IP—transmission control protocol / internet protocol—for Internet
 - HTTP—hypertext transfer protocol—for Web

LAN in the Lab


EtherNet is a popular LAN protocol

- Recall, it's a "party" protocol



Campus & The World

The campus subnetworks interconnect computers of the UW domain which connects to Internet via a gateway



IP—Like Using Postcards

Information is sent across the Internet using IP—Cerf uses postcard analogy

- Break message into fixed size units
- Form IP packets with destination address, sequence number and content
- Each makes its way separately to destination, possibly taking different routes
- Reassembled at destination forming msg

addr # data

Taking separate routes lets packets by-pass congestion and out-of-service switches

A Trip to Switzerland

A packet sent from UW to ETH (Swiss Fed. Tech. University) took 21 hops

Hop	IP Address	Node Name	Location	ms	Network
0	128.95.1.207	spiff.cseresearch.cs.washington.edu			University of Washington WASHINGTON
1	128.95.1.100	-			University of Washington WASHINGTON
2	140.142.150.2	uwbr2-GEO-1.cac.washington.edu			University of Washington UW-SEA
3	198.107.150.1	hnsp1-wes-ge-0-0-0-0.pnw-gigapop.net	...	0	Verio, Inc. VRIO-198-106
4	198.48.91.78	abilene-pnw.pnw-gigapop.net	...	5	University of Washington UW-SEA29
5	198.32.11.124	sttlng-sttl.abilene.ucaid.edu	...	0	Exchange Point Blocks NET-EP-1
6	198.32.8.50	dnvr-sttl.abilene.ucaid.edu	...	35	Exchange Point Blocks NET-EP-1
7	198.32.11.111	-	...	27	Exchange Point Blocks NET-EP-1
8	198.32.8.14	kscy-dnvr.abilene.ucaid.edu	...	40	Exchange Point Blocks NET-EP-1
9	198.32.11.117	kscyng-kscy.abilene.ucaid.edu	...	34	Exchange Point Blocks NET-EP-1
10	198.32.8.80	iplsng-kscyng.abilene.ucaid.edu	...	281	Exchange Point Blocks NET-EP-1
11	198.32.8.76	chinng-iplsng.abilene.ucaid.edu	...	52	Exchange Point Blocks NET-EP-1
12	198.32.8.83	nycmng-chinng.abilene.ucaid.edu	...	72	Exchange Point Blocks NET-EP-1
13	198.32.8.46	nycm-wash.abilene.ucaid.edu	...	68	Exchange Point Blocks NET-EP-1
14	62.40.103.253	abilene-gtren.de2.de.geant.net	(United Kingdom)	165	IP allocation for GEANT network
15	62.40.96.62	de.it1.it.geant.net	(United Kingdom)	171	IP allocation for GEANT network
16	62.40.96.33	it.ch1.ch.geant.net	(United Kingdom)	183	IP allocation for GEANT network
17	62.40.103.18	swiCE2-P6-1.switch.ch	(United Kingdom)	178	IP allocation for GEANT network
18	130.59.36.42	swiEZ2-G2-2.switch.ch	(Switzerland)	187	SWITCH Teleinformatics Services SWITCH-LAN
19	192.33.92.1	rou-eth-switch-1-giga-to-switch.ethz.ch	(Switzerland)	192	Swiss Federal Institute of Technology ETH-NET6
20	129.132.99.19	rou-rz-1-mega-transit-2.ethz.ch	(Switzerland)	188	Swiss Federal Institute of Technology ETH-ETHER
21	129.132.1.15	eth.ch	(Switzerland)	192	Swiss Federal Institute of Technology ETH-ETHER

Roundtrip time to eth.ch, average = 192ms, min = 187ms, max = 204ms -- 14-Nov-02 1:39:08 PM



TCP/IP

Packet-Switching Animation

Check Internet Hops

Interested?

- ❑ Find software called Visual Routes (personal evaluation copies are free) at <http://www.visualroute.com>
- ❑ Download a copy of the software
- ❑ Install software and type in foreign URLs
 - ❑ Switzerland eth.ch
 - ❑ Australia www.usyd.edu.au
 - ❑ Japan kyoto-u.ac.jp
 - ❑ South Africa www.uct.ac.za

Use Google to find foreign computers

Naming Computers I

People name computers by a domain name
-- a hierarchical scheme that groups like computers

.edu All educational computers

.washington.edu All computers at UW

dante.washington.edu A UW computer

.ischool.washington.edu iSchool computers

.cs.washington.edu CSE computers

june.cs.washington.edu A CSE computer

Naming Computers II

Computers are named by IP address, four numbers in the range 0-255

cse.washington.edu: 128.95.1.4

ischool.washington.edu: 128.208.100.150

- ❑ Remembering IP addresses would be brutal for humans, so we use domains
- ❑ Computers find the IP address for a domain name from the *Domain Name System* -- an IP address-book computer

Domains

.edu .com .mil .gov .org .net domains are “top level domains” for the US

- ❑ Recently, new TLD names added
- ❑ Each country has a top level domain name: .ca (Canada), .es (Spain), .de (Germany), .au (Australia), .at (Austria), .us

The FIT book contains the complete list

Logical vs Physical

There are 2 ways to view the Internet

- Humans see a hierarchy of domains relating computers -- **logical network**
- Computers see groups of four number IP addresses -- **physical network**
- Both are ideal for the “users” needs
- The Domain Name System (DNS) relates the logical network to the physical network by translating domains to IP addresses

Client/Server Structure

The Internet computers rely on the client/server protocol: servers provide services, clients use them

- Sample servers: *email server, web server, ...*
- UW servers: dante, courses, www, student,...
- Frequently, a “server” is actually many computers acting as one, e.g. dante is a group of more than 50 servers

Protocol: Client packages a request, and sends it to a server; Server does the service and sends a reply


World Wide Web

World Wide Web is the collection of servers (subset of Internet computers) & the information they give access to

- Clearly, WWW \neq Internet
- The “server” is the web site computer and the “client” is the surfer’s browser
- Many Web server’s domain names begin with www by tradition, but any name is OK
- Often multiple server names map to the same site: MoMA.org and www.MoMA.org

Client/Server Interaction

For Web pages, the client requests a page, the server returns it: there's no connection, just two transmissions



Servers serve many clients; clients visit many servers

Dissecting a URL

Web addresses are URLs, *Uniform Resource Locator*, IP address + path

- URLs are often *redirected* to other places:
<http://courses.washington.edu/fit100/>

goes to

<http://courses.washington.edu/fit100/au08/>

Dissecting a URL

Web addresses are URLs, ***Uniform Resource Locator***, IP address + path

- URLs are often *redirected* to other places; e.g.
<http://www.cs.washington.edu/100/> goes to

Summary

Networking is changing the world

Internet: named computers using TCP/IP

WWW: servers providing access to info

□ Principles

- Logical network of domain names
- Physical network of IP addresses
- Protocols rule: LAN, TCP/IP, http, ...
- Domain Name System connects the two
- Client/Server, fleeting relationship on WWW