

Ling 566
Nov 20, 2008
Long Distance Dependencies

Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint

Examples

- *wh*-questions:
What did you find?
Tell me who you talked to
- relative clauses:
the item that I found
the guy who(m) I talked to
- topicalization:
The manual, I can't find
Chris, you should talk to.
- *easy*-adjectives:
My house is easy to find.
Pat is hard to talk to.

What these have in common

- There is a ‘gap’: nothing following *find* and *to*, even though both normally require objects.
- Something that fills the role of the element missing from the gap occurs at the beginning of the clause.
- We use topicalization and *easy*-adjectives to illustrate:

The manual, *I can't find* _____

Chris *is easy to talk to* _____

Gaps and their fillers can be far apart:

- *The solution to this problem, Pat said that someone claimed you thought I would never find_____.*
 - *Chris is easy to consider it impossible for anyone but a genius to try to talk to_____.*
- ☞ That's why we call them “long distance dependencies”

Fillers often have syntactic properties associated with their gaps

Him, I haven't met ____.

**He, I haven't met ____.*

The scissors, Pat told us _____ were missing.

**The scissors, Pat told us _____ was missing.*

On Pat, you can rely ____.


**To Pat, you can rely ____.*

LDDs in TG


- These were long thought to constitute the strongest evidence for transformations.
- They were handled in TG by moving the filler from the gap position.
- Case, agreement, preposition selection could apply before movement.

A big debate about LDDs in TG

- Does long-distance movement take place in one fell swoop or in lots of little steps?



Swooping



Looping

Looping is now generally accepted in TG

- Various languages show morphological marking on the verbs or complementizers of clauses between the filler and the gap.
- Psycholinguistic evidence indicates increased processing load in the region between filler and gap.
- This opens the door to non-transformational analyses, in which the filler-gap dependency is mediated by local information passing.

Very Rough Sketch of Our Approach

- A feature GAP records information about a missing constituent.
- The GAP value is passed up the tree by a new principle.
- A new grammar rule expands S as a filler followed by another S whose GAP value matches the filler.
- Caveat: Making the details of this general idea work involves several complications.

The Feature GAP


- Like valence features and ARG-ST, GAP's value is a list of feature structures (often empty).
- Subject gaps are introduced by a lexical rule.
- Non-subject gaps are introduced by revising the Argument Realization Principle.

The Revised ARP


$$\text{word:} \left[\begin{array}{l} \text{SYN} \\ \text{ARG-ST} \end{array} \left[\begin{array}{l} \text{VAL} \\ \text{GAP} \end{array} \left[\begin{array}{l} \text{SPR} \\ \text{COMPS} \end{array} \left[\begin{array}{l} \boxed{A} \\ \boxed{B} \end{array} \ominus \boxed{C} \right] \right] \oplus \boxed{B} \right] \right]$$

- \ominus is a kind of list subtraction, but:
 - it's not always defined, and
 - when defined, it's not always unique
- The ARP now says the non-SPR arguments are distributed between COMPS and GAP.

A Word with a Non-Empty GAP Value



How We Want GAP to Propagate



What We Want the GAP Propagation Mechanism to Do


- Pass any GAP values from daughters up to their mothers,
- **except** when the filler is found.
- For topicalization, we can write the exception into the grammar rule, but
- For *easy*-adjectives, the NP that corresponds to the gap is the subject, which is introduced by the Head-Specifier Rule.
- Since specifiers are not generally gap fillers, we can't write the gap-filling into the HSR.

Our Solution to this Problem

- For *easy*-adjectives, we treat the adjective formally as the filler, marking its SPR value as coindexed with its GAP value.
- We use a feature STOP-GAP to trigger the emptying of the GAP list.
 - STOP-GAP stops gap propagation
 - *easy*-adjectives mark STOP-GAP lexically
 - a new grammar rule, the Head-Filler Rule mentions STOP-GAP

The GAP Principle

A local subtree Φ satisfies the GAP Principle with respect to a headed rule ρ if and only if Φ satisfies:



How does STOP-GAP work?


- STOP-GAP is empty almost everywhere
- When a gap is filled, STOP-GAP is nonempty, and its value is the same as the gap being filled.
- This blocks propagation of that GAP value, so gaps are only filled once.
- The nonempty STOP-GAP values come from two sources:
 - a stipulation in the Head-Filler Rule
 - lexical entries for *easy*-adjectives
- No principle propagates STOP-GAP

The Head-Filler Rule

$$[phrase] \rightarrow \boxed{1} \left[\text{GAP} \quad \langle \rangle \right] \mathbf{H} \left[\begin{array}{l} \text{HEAD} \quad \left[\begin{array}{l} \textit{verb} \\ \text{FORM} \quad \textit{fin} \end{array} \right] \\ \text{VAL} \quad \left[\begin{array}{l} \text{SPR} \quad \langle \rangle \\ \text{COMPS} \quad \langle \rangle \end{array} \right] \\ \text{STOP-GAP} \quad \langle \boxed{1} \rangle \\ \text{GAP} \quad \langle \boxed{1} \rangle \end{array} \right]$$


- This only covers gap filling in finite Ss
- The filler has to be identical to the GAP value
- The STOP-GAP value is also identical
- The GAP Principle ensures that the mother's GAP value is the empty list

Gap Filling with *easy*-Adjectives



- Because STOP-GAP and GAP have the same value, that value will be subtracted from the mother's GAP value.
- The first argument is coindexed with the GAP value, accounting for the interpretation of the subject as the filler.

A Tree for *easy to talk to* _____



STOP-GAP Housekeeping

- Lexical entries with nonempty STOP-GAP values (like *easy*) are rare, so STOP-GAP is by default empty in the lexicon.
- Head-Specifier and Head-Modifier rules need to say [STOP-GAP < >]
- Lexical rules preserve STOP-GAP values.

GAP Housekeeping

- The initial symbol must say [GAP < >]. Why?
 - To block **Pat found* and **Chris talked to* as stand-alone sentences.
- The Imperative Rule must propagate GAP values. Why?
 - It's not a headed rule, so the effect of the GAP Principle must be replicated
 - Imperatives can have gaps:
This book, put on the top shelf!

Sentences with Multiple Gaps

- Famous examples:

This violin, sonatas are easy to play___ on___.

**Sonatas, this violin is easy to play___ on___.*

- Our analysis gets this:
 - The subject of *easy* is coindexed with the **first** element of the GAP list.
 - The Head-Filler rule only allows one GAP remaining.
- There are languages that allow multiple gaps more generally.

Where We Are

- filler-gap structures:

The solution to this problem, nobody understood_____

That problem is easy to understand_____

- The feature GAP encodes information about missing constituents
- Modified ARP allows arguments that should be on the COMPS list to show up in the GAP list
- GAP values are passed up the tree by the GAP Principle

Where We Are (continued)

- The feature STOP-GAP signals where GAP passing should stop
- The Head-Filler Rule matches a filler to a GAP and (via STOP-GAP) empties GAP
- Lexical entries for *easy*-adjectives require a gap in the complement, coindex the subject with the gap, and (via STOP-GAP) empty GAP on the mother


On to New Material....

- Sentences with subject gaps
- Gaps in coordinate constructions

Subject Gaps


- The ARP revision only allowed missing complements.
- But gaps occur in subject position, too:
This problem, everyone thought ____ was too easy.
- We handle these via a lexical rule that, in effect, moves the contents of the SPR list into the GAP list

The Subject Extraction Lexical Rule




- NB: This says nothing about the phonology, because the default for *pi-rules* is to leave the phonology unchanged.

A Lexical Sequence This Licenses



- Note that the ARP is satisfied

A Tree with a Subject Gap



Island Constraints

- There are configurations that block filler-gap dependencies, sometimes called “islands”
- Trying to explain them has been a central topic of syntactic research since the mid 1960s
- We’ll look at just one, Ross’s so-called “Coordinate Structure Constraint”
- Loose statement of the constraint: a constituent outside a coordinate structure cannot be the filler for a gap inside the coordinate structure.

Coordinate Structure Constraint Examples

**This problem, nobody finished the extra credit and _____*

**This problem, nobody finished _____ and the extra credit.*

**This problem, nobody finished _____ and started the extra credit.*

**This problem, nobody started the extra credit and finished _____*

- But notice:

This problem, everybody started _____ and nobody finished _____

The Coordinate Structure Constraint

- In a coordinate structure,
 - no conjunct can be a gap (conjunct constraint),
and
 - no gap can be contained in a conjunct if its filler is outside of that conjunct (element constraint)
-unless each conjunct has a gap that is paired with the same filler (across-the-board exception)

These observations cry out for explanation

- In our analysis, the conjunct constraint is an immediate consequence: individual conjuncts are not on the ARG-ST list of any word, so they can't be put on the GAP list
- The element constraint and ATB exception suggest that GAP is one of those features (along with VAL and FORM) that must agree across conjuncts.
- Note: There is no ATB exception to the conjunct constraint.
**This problem, you can compare only _____ and _____.*

Our Coordination Rule, so far

$$\begin{array}{l} \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{IND} & s_0 \end{array} \right] \end{array} \rightarrow \begin{array}{l} \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{IND} & s_1 \end{array} \right] \dots \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{IND} & s_{n-1} \end{array} \right] \left[\begin{array}{ll} \text{HEAD} & conj \\ \text{IND} & s_0 \\ \text{RESTR} & \langle \left[\text{ARGS } \langle s_1 \dots s_n \rangle \right] \rangle \end{array} \right] \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{IND} & s_n \end{array} \right] \end{array}$$

- Recall that we have tinkered with what must agree across conjuncts at various times.
- Now we'll add GAP to the things that conjuncts must share

Our Final Coordination Rule

$$\begin{array}{l} \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{GAP} & \boxed{A} \\ \text{IND} & s_0 \end{array} \right] \end{array} \rightarrow \begin{array}{l} \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{GAP} & \boxed{A} \\ \text{IND} & s_1 \end{array} \right] \dots \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{GAP} & \boxed{A} \\ \text{IND} & s_{n-1} \end{array} \right] \left[\begin{array}{ll} \text{HEAD} & conj \\ \text{IND} & s_0 \\ \text{RESTR} & \langle \left[\text{ARGS} \langle s_1 \dots s_n \rangle \right] \rangle \end{array} \right] \left[\begin{array}{ll} \text{FORM} & \boxed{1} \\ \text{VAL} & \boxed{0} \\ \text{GAP} & \boxed{A} \\ \text{IND} & s_n \end{array} \right] \end{array}$$

- We've just added GAP to all the conjuncts and the mother.
- This makes the conjuncts all have the same gap (if any)
- Why do we need it on the mother?

Closing Remarks on LDDs

- This is a huge topic; we've only scratched the surface
 - There are many more kinds of LDDs, which would require additional grammar rules
 - There are also more island constraints, which also need to be explained
- Our account of the coordinate structure constraint (based on ideas of Gazdar) is a step in the right direction, but it would be nice to explain why certain features must agree across conjuncts.

Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint