Ling 566 Nov 28, 2011

Long Distance Dependencies

Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint

Examples

• wh-questions:

What did you find?
Tell me who you talked to

• relative clauses:

the item that I found the guy who(m) I talked to

• topicalization:

The manual, I can't find Chris, you should talk to.

• easy-adjectives:

My house is easy to find.

Pat is hard to talk to.

What these have in common

- There is a 'gap': nothing following *find* and *to*, even though both normally require objects.
- Something that fills the role of the element missing from the gap occurs at the beginning of the clause.
- We use topicalization and *easy*-adjectives to illustrate:

The manual, I can't find______
Chris is easy to talk to _____

Gaps and their fillers can be far apart:

• The solution to this problem, Pat said that someone claimed you thought I would never find____.

• Chris is easy to consider it impossible for anyone but a genius to try to talk to _____.

That's why we call them "long distance dependencies"

Fillers often have syntactic properties associated with their gaps

Him, I haven't met____.

*He, I haven't met____.

The scissors, Pat told us ____ were missing.

*The scissors, Pat told us ____ was missing.

On Pat, you can rely____.


*To Pat, you can rely____.

LDDs in TG


- These were long thought to constitute the strongest evidence for transformations.
- They were handled in TG by moving the filler from the gap position.
- Case, agreement, preposition selection could apply before movement.

A big debate about LDDs in TG

• Does long-distance movement take place in one fell swoop or in lots of little steps?



Swooping



Looping

Looping is now generally accepted in TG

- Various languages show morphological marking on the verbs or complementizers of clauses between the filler and the gap.
- Psycholinguistic evidence indicates increased processing load in the region between filler and gap.
- This opens the door to non-transformational analyses, in which the filler-gap dependency is mediated by local information passing.


Very Rough Sketch of Our Approach

- A feature GAP records information about a missing constituent.
- The GAP value is passed up the tree by a new principle.
- A new grammar rule expands S as a filler followed by another S whose GAP value matches the filler.
- Caveat: Making the details of this general idea work involves several complications.

The Feature GAP

- Like valence features and ARG-ST, GAP's value is a list of feature structures (often empty).
- Subject gaps are introduced by a lexical rule.
- Non-subject gaps are introduced by revising the Argument Realization Principle.

The Revised ARP




- \bullet \ominus is a kind of list subtraction, but:
 - it's not always defined, and
 - when defined, it's not always unique
- The ARP now says the non-SPR arguments are distributed between COMPS and GAP.

A Word with a Non-Empty GAP Value

	$\lceil word \rceil$			
		HEAD	[FORM fin]	
$\left\langle \operatorname{hand} \right\rangle$	SYN	VAL GAP	$\begin{bmatrix} SPR & \langle 1 \rangle \\ COMPS & \langle 3PP[to] \rangle \end{bmatrix} $ \\ \lambda \text{2NP[acc]} \rangle	
	ARG-ST	, [1	$ \begin{bmatrix} 1 & \text{NP} \\ \text{nom} \\ \text{non-3sing} \end{bmatrix}, \begin{bmatrix} 2 \\ 3 \\ \end{bmatrix} $	

How We Want GAP to Propagate



What We Want the GAP Propagation Mechanism to Do


- Pass any GAP values from daughters up to their mothers,
- except when the filler is found.
- For topicalization, we can write the exception into the grammar rule, but
- For *easy*-adjectives, the NP that corresponds to the gap is the subject, which is introduced by the Head-Specifier Rule.
- Since specifiers are not generally gap fillers, we can't write the gap-filling into the HSR.

Our Solution to this Problem

- For *easy*-adjectives, we treat the adjective formally as the filler, marking its SPR value as coindexed with its GAP value.
- We use a feature STOP-GAP to trigger the emptying of the GAP list.
 - STOP-GAP stops gap propagation
 - easy-adjectives mark STOP-GAP lexically
 - a new grammar rule, the Head-Filler Rule mentions STOP-GAP

The GAP Principle

A local subtree Φ satisfies the GAP Principle with respect to a headed rule ρ if and only if Φ satisfies:



How does STOP-GAP work?

- STOP-GAP is empty almost everywhere
- When a gap is filled, STOP-GAP is nonempty, and its value is the same as the gap being filled.
- This blocks propagation of that GAP value, so gaps are only filled once.
- The nonempty STOP-GAP values come from two sources:
 - a stipulation in the Head-Filler Rule
 - lexical entries for easy-adjectives
- No principle propagates STOP-GAP

The Head-Filler Rule

$$[phrase] \rightarrow \mathbb{I}[GAP \ \langle \ \rangle] \quad \mathbf{H} \ VAL \quad \begin{bmatrix} verb \\ FORM \ fin \end{bmatrix}$$

$$STOP\text{-}GAP \ \langle \ \square \ \rangle$$

$$GAP \ \langle \ \square \ \rangle$$

- This only covers gap filling in finite Ss
- The filler has to be identical to the GAP value
- The STOP-GAP value is also identical
- The GAP Principle ensures that the mother's GAP value is the empty list

Gap Filling with easy-Adjectives

$$\left\langle \text{easy ,} \begin{bmatrix} adj\text{-}lxm \\ \text{SYN} & \left[\text{STOP-GAP } \left\langle \, \square \, \right\rangle \right] \\ \text{ARG-ST } \left\langle \text{NP}_i \,, \left[\begin{array}{c} \text{VP} \\ \text{GAP } \left\langle \, \square \text{NP}_i \,, \dots \, \right\rangle \right] \right\rangle \end{bmatrix} \right\rangle$$

- Because STOP-GAP and GAP have the same value, that value will be subtracted from the mother's GAP value.
- The first argument is coindexed with the GAP value, accounting for the interpretation of the subject as the filler.

A Tree for easy to talk to_____

$$\begin{bmatrix} \text{VAL} & \left[\text{SPR} & \left\langle \text{ 2NP}_i \right\rangle \right] \\ \text{GAP} & \left\langle \right\rangle \end{bmatrix}$$

$$\begin{bmatrix} \text{VAL} & \left[\text{SPR} & \left\langle \text{ 2} \right\rangle \right] \\ \text{COMPS} & \left\langle \text{ 3} \right\rangle \end{bmatrix} & \begin{bmatrix} \text{VAL} & \left[\text{SPR} & \left\langle \text{ NP} \right\rangle \right] \\ \text{GAP} & \left\langle \text{ 1NP}_i \right\rangle \end{bmatrix}$$

$$\begin{bmatrix} \text{GAP} & \left\langle \right\rangle \\ \text{STOP-GAP} & \left\langle \text{ 1} \right\rangle \end{bmatrix}$$

$$= \begin{bmatrix} \text{easy} & \text{to talk to} \end{bmatrix}$$

STOP-GAP Housekeeping

- Lexical entries with nonempty STOP-GAP values (like *easy*) are rare, so STOP-GAP is by default empty in the lexicon.
- Head-Specifier and Head-Modifier rules need to say [STOP-GAP < >]
- Lexical rules preserve STOP-GAP values.

GAP Housekeeping

- The initial symbol must say [GAP < >]. Why?
 - To block **Pat found* and **Chris talked to* as stand-alone sentences.
- The Imperative Rule must propagate GAP values. Why?
 - It's not a headed rule, so the effect of the GAP Principle must be replicated
 - Imperatives can have gaps: *This book, put on the top shelf!*

Sentences with Multiple Gaps

• Famous examples:

```
This violin, sonatas are easy to play____ on___.

*Sonatas, this violin is easy to play____ on___.
```

- Our analysis gets this:
 - The subject of *easy* is coindexed with the **first** element of the GAP list.
 - The Head-Filler rule only allows one GAP remaining.
- There are languages that allow multiple gaps more generally.

Where We Are

• filler-gap structures:

```
The solution to this problem, nobody understood_____

That problem is easy to understand_____
```

- The feature GAP encodes information about missing constituents
- Modified ARP allows arguments that should be on the COMPS list to show up in the GAP list
- GAP values are passed up the tree by the GAP Principle

Where We Are (continued)

- The feature STOP-GAP signals where GAP passing should stop
- The Head-Filler Rule matches a filler to a GAP and (via STOP-GAP) empties GAP
- Lexical entries for *easy*-adjectives require a gap in the complement, coindex the subject with the gap, and (via STOP-GAP) empty GAP on the mother

On to New Material....

- Sentences with subject gaps
- Gaps in coordinate constructions

Subject Gaps

- The ARP revision only allowed missing complements.
- But gaps occur in subject position, too:

 This problem, everyone thought ____ was too easy.
- We handle these via a lexical rule that, in effect, moves the contents of the SPR list into the GAP list


The Subject Extraction Lexical Rule

• NB: This says nothing about the phonology, because the default for *pi-rule*s is to leave the phonology unchanged.

A Lexical Sequence This Licenses

Note that the ARP is satisfied

A Tree with a Subject Gap



Island Constraints

- There are configurations that block filler-gap dependencies, sometimes called "islands"
- Trying to explain them has been a central topic of syntactic research since the mid 1960s
- We'll look at just one, Ross's so-called "Coordinate Structure Constraint"
- Loose statement of the constraint: a constituent outside a coordinate structure cannot be the filler for a gap inside the coordinate structure.

Coordinate Structure Constraint Examples

*This problem, nobody finished the extra credit and_____

*This problem, nobody finished____ and the extra credit.

*This problem, nobody finished ____ and started the extra credit.

*This problem, nobody started the extra credit and finished____.

• But notice:

This problem, everybody started____ and nobody finished ____.

The Coordinate Structure Constraint

- In a coordinate structure,
 - no conjunct can be a gap (conjunct constraint), and
 - no gap can be contained in a conjunct if its filler is outside of that conjunct (element constraint)
 -unless each conjunct has a gap that is paired with the same filler (across-the-board exception)

These observations cry out for explanation

- In our analysis, the conjunct constraint is an immediate consequence: individual conjuncts are not on the ARG-ST list of any word, so they can't be put on the GAP list
- The element constraint and ATB exception suggest that GAP is one of those features (along with VAL and FORM) that must agree across conjuncts.
- Note: There is no ATB exception to the conjunct constraint.

 *This problem, you can compare only____ and____.

Our Coordination Rule, so far

```
\begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_0 \end{bmatrix} \rightarrow \begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_1 \end{bmatrix} \dots \begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_{n-1} \end{bmatrix} \begin{bmatrix} \text{HEAD} & conj \\ \text{IND} & s_0 \\ \text{RESTR} & \langle \left[ \text{ARGS} \langle s_1 .... s_n \rangle \right] \rangle \end{bmatrix} \begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_n \end{bmatrix}
```

- Recall that we have tinkered with what must agree across conjuncts at various times.
- Now we'll add GAP to the things that conjuncts must share

Our Final Coordination Rule

$$egin{bmatrix} {\sf FORM} & { extbf{1}} \ {\sf VAL} & { extbf{0}} \ {\sf GAP} & { extbf{A}} \ {\sf IND} & s_0 \end{bmatrix}
ightarrow$$

```
\begin{bmatrix} \text{FORM} & \mathbb{I} \\ \text{VAL} & \mathbb{0} \\ \text{GAP} & \mathbb{A} \\ \text{IND} & s_1 \end{bmatrix} \dots \begin{bmatrix} \text{FORM} & \mathbb{I} \\ \text{VAL} & \mathbb{0} \\ \text{GAP} & \mathbb{A} \\ \text{IND} & s_{n-1} \end{bmatrix} \begin{bmatrix} \text{HEAD} & conj \\ \text{IND} & s_0 \\ \text{RESTR} & \langle \left[ \text{ARGS} & \langle s_1 .... s_n \rangle \right] \rangle \end{bmatrix} \begin{bmatrix} \text{FORM} & \mathbb{I} \\ \text{VAL} & \mathbb{0} \\ \text{GAP} & \mathbb{A} \\ \text{IND} & s_n \end{bmatrix}
```

- We've just added GAP to all the conjuncts and the mother.
- This makes the conjuncts all have the same gap (if any)
- Why do we need it on the mother?

Closing Remarks on LDDs

- This is a huge topic; we've only scratched the surface
 - There are many more kinds of LDDs, which would require additional grammar rules
 - There are also more island constraints, which also need to be explained
- Our account of the coordinate structure constraint (based on ideas of Gazdar) is a step in the right direction, but it would be nice to explain why certain features must agree across conjuncts.

Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint


- Where do non-empty STOP-GAP values come from?
- Where do empty STOP-GAP values come from?
- Is STOP-GAP only non-empty on the head daughter of HFR?
- What's the purpose of STOP-GAP?

- When the HFR says the head has nonempty GAP and STOP-GAP, does that mean it both has a gap and fills a gap?
- In the *easy to talk to* ____ tree, what rule licenses the phrase?

$$[phrase] \rightarrow \mathbb{I}[GAP \ \langle \ \rangle] \quad \mathbf{H} \begin{bmatrix} \text{HEAD} & \begin{bmatrix} verb \\ \text{FORM} & \text{fin} \end{bmatrix} \\ \text{VAL} & \begin{bmatrix} \text{SPR} & \langle \ \rangle \\ \text{COMPS} & \langle \ \rangle \end{bmatrix} \end{bmatrix}$$

$$\text{STOP-GAP } \langle \mathbb{I} \ \rangle$$

$$GAP \ \langle \mathbb{I} \ \rangle$$



- In (38) on p. 439, why is the SPR of the VP to talk to an NP rather than the A easy?
- Also, if the element [1]NPi in the GAP list of the VP to talk to and the SPR of the AP easy to talk to ([2]NPi) are coindexed, why aren't they co-tagged with the same number as well?

• How is using the GAP feature any different than using an "empty element" like other grammars use?