Computational Semantics

Ling 571
Deep Processing Techniques for NLP
February 2, 2011

Roadmap

- Motivation:
 - Dialog
- Key problems
- Major tasks
- Computational resources

Dialogue Systems

User: What do I have on Thursday?

```
Parse:
(S
(Q-WH-Obj
(Whwd What)
(Aux do )
(NP (Pron I))
(VP/NP (V have)
(NP/NP *t*)
(PP (Prep on)
(NP (N Thursday))))))
```

Dialogue Systems

- Parser:
 - Yes, it's grammatical!
 - Here's the structure!
- System: Great, but what am I supposed to DO?!

Need to associate meaning with structure

Dialogue Systems

```
(S
(Q-WH-Obj Action: check cal; USER; Thursday
(Whwd What)
(Aux do )
(NP (Pron I)) Calowner: USER
(VP/NP (V have) Date: Thursday
(NP/NP *t*)
(PP (Prep on) Date: Thursday
(NP (N Thursday)))))) Date: Thursday
```

Natural Language

Syntax: Determine the structure of natural language input

Semantics: Determine the meaning of natural language input

- Sentences have many entailments, presuppositions
- Instead, the protests turned bloody, as anti-government crowds were confronted by what appeared to be a coordinated group of Mubarak supporters.

- Sentences have many entailments, presuppositions
- Instead, the protests turned bloody, as anti-government crowds were confronted by what appeared to be a coordinated group of Mubarak supporters.
 - The protests became bloody.

- Sentences have many entailments, presuppositions
- Instead, the protests turned bloody, as anti-government crowds were confronted by what appeared to be a coordinated group of Mubarak supporters.
 - The protests became bloody.
 - The protests had been peaceful.

- Sentences have many entailments, presuppositions
- Instead, the protests turned bloody, as anti-government crowds were confronted by what appeared to be a coordinated group of Mubarak supporters.
 - The protests became bloody.
 - The protests had been peaceful.
 - Crowds oppose the government,

- Sentences have many entailments, presuppositions
- Instead, the protests turned bloody, as anti-government crowds were confronted by what appeared to be a coordinated group of Mubarak supporters.
 - The protests became bloody.
 - The protests had been peaceful.
 - Crowds oppose the government,
 - Some support Mubarak.

- Sentences have many entailments, presuppositions
- Instead, the protests turned bloody, as anti-government crowds were confronted by what appeared to be a coordinated group of Mubarak supporters.
 - The protests became bloody.
 - The protests had been peaceful.
 - Crowds oppose the government,
 - Some support Mubarak.
 - There was a confrontation between two groups.
 - Anti-government crowds are not Mubarak supporters.
 - Etc...

Perspectives on Meaning

- Meaning and the mind:
 - Meanings are mental constructs, mediating between language and the world

Perspectives on Meaning

- Meaning and the mind:
 - Meanings are mental constructs, mediating between language and the world
- Meaning and action:
 - Meaning maps language into actions (robotics)
 - Utterances are actions, and activate procedures in hearer

Perspectives on Meaning

- Meaning and the mind:
 - Meanings are mental constructs, mediating between language and the world
- Meaning and action:
 - Meaning maps language into actions (robotics)
 - Utterances are actions, and activate procedures in hearer
- Semantics and models:
 - Meaning maps on states in model theoretic 'worlds', e.g. Montague
 - Focuses on truth conditions of sentences, and their representation

- Semantic representation:
 - What is the appropriate formal language to express propositions in linguistic input?

- Semantic representation:
 - What is the appropriate formal language to express propositions in linguistic input?
 - E.g. predicate calculus
 - $\exists x.(dog(x) \land disappear(x))$

- Semantic representation:
 - What is the appropriate formal language to express propositions in linguistic input?
 - E.g. predicate calculus
 - $\exists x.(dog(x) \land disappear(x))$
- Entailment:
 - What are all the valid conclusions that can be drawn from an utterance?

- Semantic representation:
 - What is the appropriate formal language to express propositions in linguistic input?
 - E.g. predicate calculus
 - $\exists x.(dog(x) \land disappear(x))$
- Entailment:
 - What are all the valid conclusions that can be drawn from an utterance?
 - 'Lincoln was assassinated' entails 'Lincoln is dead.'

- Semantic representation:
 - What is the appropriate formal language to express propositions in linguistic input?
 - E.g. predicate calculus
 - $\exists x.(dog(x) \land disappear(x))$
- Entailment:
 - What are all the valid conclusions that can be drawn from an utterance?
 - 'Lincoln was assassinated' entails

- Reference: How do linguistic expressions link to objects/concepts in the real world?
 - 'the dog', 'the President', 'the Superbowl'

- Reference: How do linguistic expressions link to objects/concepts in the real world?
 - 'the dog', 'the President', 'the Superbowl'
- Compositionality: How can we derive the meaning of a unit from its parts?
 - How do syntactic structure and semantic composition relate?
 - 'rubber duck' vs 'rubber chicken'

- Reference: How do linguistic expressions link to objects/concepts in the real world?
 - 'the dog', 'the President', 'the Superbowl'
- Compositionality: How can we derive the meaning of a unit from its parts?
 - How do syntactic structure and semantic composition relate?
 - 'rubber duck' vs 'rubber chicken'
 - 'kick the bucket'

More Challenges

- Semantic analysis:
 - How do we derive a representation of the meaning of an utterance?
 - AyCaramba serves meat. ->

 $\exists e \ Isa(e, Serving) \land Server(e, AyCaramba) \land Served(e, Meat)$

Tasks in Computational Semantics

- Computational semantics aims to extract, interpret, and reason about the meaning of NL utterances, and includes:
 - Defining a meaning representation

Tasks in Computational Semantics

- Computational semantics aims to extract, interpret, and reason about the meaning of NL utterances, and includes:
 - Defining a meaning representation
 - Developing techniques for semantic analysis, to convert NL strings to meaning representations

Tasks in Computational Semantics

- Computational semantics aims to extract, interpret, and reason about the meaning of NL utterances, and includes:
 - Defining a meaning representation
 - Developing techniques for semantic analysis, to convert NL strings to meaning representations
 - Developing methods for reasoning about these representations and performing inference from them

• Requires:

- Requires:
 - Knowledge of language: words, syntax, relationships b/t structure and meaning, composition procedures

- Requires:
 - Knowledge of language: words, syntax, relationships b/t structure and meaning, composition procedures
 - Knowledge of the world: what are the objects that we refer to, how do they relate, what are their properties?

Requires:

- Knowledge of language: words, syntax, relationships b/t structure and meaning, composition procedures
- Knowledge of the world: what are the objects that we refer to, how do they relate, what are their properties?
- Reasoning: Given a representation and a world, what new conclusions – bits of meaning – can we infer?

Requires:

- Knowledge of language: words, syntax, relationships b/t structure and meaning, composition procedures
- Knowledge of the world: what are the objects that we refer to, how do they relate, what are their properties?
- Reasoning: Given a representation and a world, what new conclusions – bits of meaning – can we infer?
- Effectively Al-complete
 - Need representation, reasoning, world model, etc.

Major Subtasks

- Hopefully more tractable....
- Computational lexical semantics:
 - Representing word meaning, interword relations, and wordstructure relations
- Word sense disambiguation:
 - Selecting the meaning of an ambiguous word in context
- Semantic role labeling:
 - Identifying the thematic roles played by arguments in predicate

Lexical Semantics

- Synonymy:
 - Couch/sofa; filbert/hazelnut; car/automobile

Lexical Semantics

- Synonymy:
 - Couch/sofa; filbert/hazelnut; car/automobile
- Antonymy:
 - Up/down; in/out;

Lexical Semantics

- Synonymy:
 - Couch/sofa; filbert/hazelnut; car/automobile
- Antonymy:
 - Up/down; in/out;
- Hyponymy:
 - Car ISA vehicle; mango ISA fruit; dog ISA mammal

Lexical Semantics

- Synonymy:
 - Couch/sofa; filbert/hazelnut; car/automobile
- Antonymy:
 - Up/down; in/out;
- Hyponymy:
 - Car ISA vehicle; mango ISA fruit; dog ISA mammal
- Decomposition:
 - Swim: GO FROM place1 TO place2 by SWIMMING

- Bank:
 - I withdrew money from the bank

- Bank:
 - I withdrew money from the bank
 - Financial institution
 - After the boat capsized, he climbed up the muddy bank

- Bank:
 - I withdrew money from the bank
 - Financial institution
 - After the boat capsized, he climbed up the muddy bank
 - Riverside

The plane had to bank steeply.

- Bank:
 - I withdrew money from the bank
 - Financial institution
 - After the boat capsized, he climbed up the muddy bank
 - Riverside

- The plane had to bank steeply.
 - Turn

Example: "Plant" Disambiguation

There are more kinds of plants and animals in the rainforests than anywhere else on Earth. Over half of the millions of known species of plants and animals live in the rainforest. Many are found nowhere else. There are even plants and animals in the rainforest that we have not yet discovered.

Biological Example

The Paulus company was founded in 1938. Since those days the product range has been the subject of constant expansions and is brought up continuously to correspond with the state of the art. We're engineering, manufacturing and commissioning worldwide ready-to-run plants packed with our comprehensive know-how. Our Product Range includes pneumatic conveying systems for carbon, carbide, sand, lime and many others. We use reagent injection in molten metal for the...

Industrial Example

Label the First Use of "Plant"

John broke the window.

John broke the window with a rock.

The rock broke the window.

The window was broken by John.

John_{AGENT} broke the window_{THEME}.

John broke the window with a rock.

The rock broke the window.

The window was broken by John.

John_{AGENT} broke the window_{THEME}.

John_{AGENT} broke the window_{THEME}.

John_{AGENT} broke the window_{THEME} with a rock_{INSTRUMENT}.

John_{AGENT} broke the window_{THEME}.

John_{AGENT} broke the window_{THEME} with a rock_{INSTRUMENT}.

The rock_{INSTRUMENT} broke the window_{THEME}.

•

John_{AGENT} broke the window_{THEME}.

John_{AGENT} broke the window_{THEME} with a rock_{INSTRUMENT}.

The rock_{INSTRUMENT} broke the window_{THEME}.

The window_{THEME} was broken by John_{AGENT}.

Semantic Resources

- Growing number of large-scale computational semantic knowledge bases
 - Dictionaries:
 - Longman Dictionary of Contemporary English (LDOCE)
 - WordNet(s)
 - PropBank
 - FrameNet
 - Semantically annotated corpora: SEMCOR, etc

WordNet

- Large-scale, manually constructed sense hierarchy
 - ISA hierarchy, other links
- Pod:
 - 1(n) {pod, cod, seedcase} (the vessel that contains the seeds of a
 - plant (not the seeds themselves)
 - 2 (n) {pod, seedpod} (a several-seeded dehiscent fruit as e.g. of a
 - leguminous plant)
 - 3 (n) {pod} (a group of aquatic mammals)
 - 4 (n) {pod, fuel pod} (a detachable container of fuel on an airplane)
 - 5 (v) {pod} (take something out of its shell or pod) pod peas or
 - beans
 - 6 (v) {pod} (produce pods, of plants)

WordNet Taxonomy View

```
Sense 3
bass, basso --
(an adult male singer with the lowest voice)
=> singer, vocalist, vocalizer, vocaliser
=> musician, instrumentalist, player
=> performer, performing artist
=> entertainer
=> person, individual, someone...
=> organism, being
=> living thing, animate thing,
=> whole, unit
=> object, physical object
=> physical entity
=> entity
```