

## ME 477 Embedded Computing

### Saving myRIO C data to a MATLAB file

The following C functions<sup>1</sup> write data of types double or char to a MATLAB “.mat” file. They are included in the ME477Library.

**Note:** Add `#include "matlabfiles.h"` to your code.

Use the following functions to open a named file *on the myRIO*, and successively add any number of data arrays, variables, and strings to the file. Finally, close the file.

**Open a .mat file** The prototype for the open function is

```
MATFILE *openmatfile(char *fname, int *err);
```

where `fname` is the filename, and `err` receives any error code. The function returns a structure for containing the MATLAB file pointer.

A typical call might be:

```
mf = openmatfile("Lab.mat", &err);
if(!mf) printf("Can't open mat file %d\n", err);
```

For ME 477, **always** use the file name: “Lab.mat”. Notice the use of pointers.

**Add a matrix** The prototype of the function for adding a matrix to the MATLAB file is

```
int
matfile_addmatrix( MATFILE *mf,
                  char *name,
                  double *data,
                  int m,
                  int n,
                  int transpose);
```

where `mf` is the MATLAB file pointer from the open statement, `name` is a char string containing the name that the matrix will be given in MATLAB, `data` is a C data array of type (`double`), `m` and `n` are the array dimensions, `transpose` takes value of 0 or 1 to indicate where the matrix is to be transposed.

For example, to add a **1-D matrix** the call might be

```
matfile_addmatrix(mf, "vel", buffer, IMAX, 1, 0);
```

Or, to add a **single variable** the call might be

```
double Npar;
Npar = (double)N;
matfile_addmatrix(mf, "N", &Npar, 1, 1, 0);
```

Again, notice the use of pointers, and the cast to `double`.

**Add a string** The prototype of the function for adding a string to the MATLAB file is

```
int
matfile_addstring( MATFILE *mf,
                  char *name,
                  char *str);
```

where `mf` is the MATLAB file pointer from the open statement, `name` is a char string containing the name that the matrix will be given in MATLAB, and `str` is the string.

For example, to add a **string** the call might be

```
matfile_addstring(mf, "myName", "Bob Smith");
```

**Close the file** After all data have been added, the file must be closed. The prototype of the function for closing the MATLAB file is

```
int matfile_close(MATFILE *mf);
```

where `mf` is the MATLAB file pointer from the open statement.


For example, to close the MATLAB file the call might be

```
matfile_close(mf);
```

**Example Code** Putting these ideas together:

```
mf = openmatfile("Lab.mat", &err);
if(!mf) printf("Can't open mat file %d\n", err);
matfile_addstring(mf, "myName", "Bob Smith");
matfile_addmatrix(mf, "N", &Npar, 1, 1, 0);
matfile_addmatrix(mf, "M", &Mpar, 1, 1, 0);
matfile_addmatrix(mf, "vel", buffer, IMAX, 1, 0);
matfile_close(mf);
```

**Transfer file to MATLAB** After the `Lab.mat` file has been created, it can be transferred directly to MATLAB.

1. In the right pane of the Remote Systems Explorer perspective, select 172.22.11.2, and click “Refresh information of selected resource” .
2. Double click on the MATLAB data file: 172.22.11.2→Sftp Files→My Home→Lab.mat
3. The `Lab.mat` file will be opened in MATLAB on your laptop. Use MATLAB’s `whos` command to list all of the named variables in the workspace.
4. In MATLAB navigate to a convenient folder on your laptop. Then, issue the “`save('Lab.mat')`” command to save the MATLAB workspace locally.

The file can later be opened from a MATLAB script, using the command `load('Lab.mat')`, for plotting or analysis.

**Note:** You will also find the `Lab.mat` file in the `RemoteSystemsTempFiles` folder within your workspace folder.

<sup>1</sup><http://www.malcolmmclean.site11.com/www/MatlabFiles/matfiles.html>