

Psych 333 Spring 2008, Instructor Boynton, Final Exam**Multiple Choice (50 questions, 1 point each)**


Identify the letter of the choice that best completes the statement or answers the question.

- _____ 1. A grapheme-color synesthete is likely to be better than 'normal' subjects at which task?
- discriminating auditory frequencies
 - detecting a triangle of 3's amongst a background of 5's
 - determining the amount of salt to add to soup
 - naming the color of ink that the number '3' is printed with
- _____ 2. Making a saccade across a stationary scene produces
- inverse motion.
 - perceived motion.
 - a motion aftereffect.
 - retinal motion.
- _____ 3. The _____ is primarily responsible for the perception fine details.
- Ruffini cylinder (SA2)
 - Merkle receptor (SA1)
 - Meissner corpuscle (RA1)
 - Pacianian corpuscle (RA2)
- _____ 4. Which has been associated with empathy, autism, and motor development?
- mirror neurons
 - the organ of corti
 - the homunculus
 - the PPA
- _____ 5. For which sense is it hardest for researchers to present controlled stimuli?
- touch
 - hearing
 - smell
 - sight
- _____ 6. About how many types of human olfactory receptors are there?
- 350
 - 12,000
 - 6
 - 2,000,000
- _____ 7. The primary visual cortex in the left hemisphere receives input from
- both eyes
 - the right LGN
 - the right eye only
 - the left eye only
- _____ 8. Carpal tunnel syndrome is an example of
- nociceptive pain
 - neuropathic pain
 - ordinary pain
 - inflammatory pain
- _____ 9. The smallest difference between two stimuli that can be reliably be detected is called the
- difference threshold
 - level of analysis
 - absolute threshold
 - recognition threshold
- _____ 10. The Hermann grid illusion and Mach bands are both explained by
- simultaneous contrast
 - center-surround lateral inhibition
 - selective adaptation
 - contrast thresholds

- ___ 11. Which sense has neurons that code spatial position by their pattern of firing?
- vision
 - hearing
 - smell
 - touch
- ___ 12. Which sense seems to have the most amount of plasticity in its primary cortical representation?
- hearing
 - touch
 - smell
 - sight
- ___ 13. The McGurk effect demonstrates that visual information influences speech perception. This is an example of:
- crossmodal neural plasticity
 - categorical perception
 - multimodal perception
 - shadowing
- ___ 14. The difficulty of reading under dim light conditions can be explained by
- the increased acuity of cones under low light conditions.
 - the fact that rod functioning predominates during dark adaptation, therefore poor acuity.
 - the fact that cone functioning predominates during dark adaptation, therefore poor acuity.
 - the increased sensitivity of cones under low light conditions.
- ___ 15. Animals that have a keen sense of smell that is important to their survival are called:
- macrosmatic
 - microsmatic
 - anosmic
 - smellomatic
- ___ 16. Infants/children lose the ability to distinguish between all speech sounds after about:
- 1 month
 - 3 years
 - 1 year
 - 6 years
- ___ 17. Ramachandran used a behavioral experiment in patients missing a _____ to suggest that Penfield's somatosensory map had the head representation upside-down.
- hand
 - homunculus
 - foot
 - head
- ___ 18. In the movie Spiderman, there's a scene where Mary Jane is being mugged by four men. Spider-Man throws two of the men into two windows behind Mary Jane. Then the camera goes back to Spider-Man beating up the other two guys. When the camera goes back to Mary Jane the two windows are intact. This is an example of what is called in the movie business as 'bad continuity'. The fact that we typically don't notice this sort of mistake is what perceptual researchers call _____.
- anosagnosia
 - the binding problem
 - the aperture problem
 - change blindness
- ___ 19. The phonemes /ta/ and /da/ are distinguished by differences in:
- formant transition
 - coarticulation
 - formants
 - voice onset time
- ___ 20. Auditory space is typically defined by which coordinate system:
- pitch, yaw and roll
 - azimuth, elevation and distance
 - distance, frequency, and elevation
 - azimuth, horizontal, and vertical

- _____ 21. A patient who has difficulty understanding speech most likely has suffered damage to:
- Wernicke's area
 - Brodman's area
 - the occipital lobe
 - Broca's area
- _____ 22. _____ can affect behavior even though they are typically not consciously perceived.
- parodelia
 - parents
 - pheromones
 - phonemes
- _____ 23. Simons and Chabris showed a video of students passing a basketball and asked viewers to count how many passes were made. What event did around half of the viewers fail to notice?
- the basketball disappearing and then reappearing.
 - a person in a gorilla suit walking in and out of the scene
 - the color of the doorway in the hallway changing
 - pants falling down on one of the students.
- _____ 24. As you vary the delay between a click coming from a lead speaker and a lag speaker, different percepts are experienced. These include:
- (1) The sound comes from the lead speaker, but you hear an echo from the lag speaker.
 - (2) The sound comes from a point in the middle between the lead and lag speaker.
 - (3) The sound comes from a point that is biased toward the lead speaker.
 - (4) The sound comes from the lead speaker only.
- Which is the order that you experience if you gradually increase the delay from zero to longer than 5 milliseconds?
- 4, 3, 2, 1
 - 2, 3, 4, 1
 - 1, 2, 3, 4
 - 3, 4, 1, 2
- _____ 25. Which of the following is most difficult to program a computer to do?
- calculate pi out to 10,000 decimal places
 - write bad poetry
 - play competitive chess
 - recognize a face
- _____ 26. The waterfall illusion and face after-effects are both explained by
- neural plasticity
 - the cortical magnification factor
 - neural adaptation
 - selective rearing
- _____ 27. If Mike Tyson bites off your pinna, you might find it more difficult to:
- discriminate fine differences in pitch
 - judge the elevation of a sound source.
 - hear high frequency tones.
 - judge the location on the azimuth of a sound source.
- _____ 28. During the refractory period, a neuron
- fires at above its baseline rate
 - fires at its baseline rate
 - cannot fire.
 - fires just below its baseline rate
- _____ 29. The _____ is primarily responsible for the perception of vibration.
- Pacianian corpuscle (RA2)
 - Merkle receptor (SA1)
 - Ruffini cylinder (SA2)
 - Meissner corpuscle (RA1)


- ___ 30. In theatrical lighting, red green and blue overhead lights are often used in combination to produce a variety of colors for illuminating a stage. This is an example of
- additive color mixing
 - color blindness
 - magic
 - subtractive color mixing
- ___ 31. Which sense has the most direct connection to memory and emotion?
- sight
 - smell
 - hearing
 - touch
- ___ 32. The phonemic restoration effect refers to:
- the unconscious replacement of missing phonemes in a sentence
 - creating a meaningful word by adding a new phoneme to a non-word
 - the ability to perceive meaningful phonemes in noise
 - learning to distinguish new phonemes when learning a foreign language
- ___ 33. Which of the following is NOT basic quality of taste?
- sour
 - umami
 - unagi
 - bitter
- ___ 34. The most useful visual input is typically _____ light, while the most useful auditory input is typically _____ sound.
- ambient, high frequency
 - reflected, direct
 - ultraviolet, annoying
 - direct, reflected
- ___ 35. If you place a gray square on a red background, the gray square will tend to look
- red
 - blue
 - green
 - gray
- ___ 36. When judging the roughness of a surface, your somatosensory system makes use of _____ cues by running your fingers over it, and _____ cues by laying your hand on it.
- physical, haptic
 - haptic, physical
 - spatial, temporal
 - temporal, spatial
- ___ 37. When played on a piano, the measures shown below from J. S. Bach's Chorale Prelude on *Jesus Christus unser Heiland* tend to sound like two separate musical streams. This is an example of grouping by:



- similarity of timbre
 - similarity of pitch
 - similarity of location
 - proximity in time
- ___ 38. Crossed and uncrossed disparity points are divided by the
- olfactometer
 - horopter
 - occluder
 - helicopter

- ___ 39. Humans have _____ olfactory receptors compared to dogs, and a single human olfactory receptor is _____ sensitive to/than a dog olfactory receptor.
- more equally
 - more, less
 - fewer, less
 - fewer, equally
- ___ 40. After suffering damage to area MST, patient R.W. sees the whole world move every time he moves his eyes. R.W. is suffering from an inability to generate
- image movement signals
 - turn signals
 - corollary discharge signals
 - motor signals
- ___ 41. The homunculus map shows that some body parts have a disproportionately large area of S1 devoted to them. This is most analogous to _____ in vision.
- ocular dominance
 - distributed coding
 - cortical magnification
 - specificity coding
- ___ 42. Pain caused by immersing your hand in cold water is an example of
- inflammatory pain
 - neuropathic pain
 - nociceptive pain
 - ordinary pain
- ___ 43. In humans, which pair of senses have different receptors that are excited by different spatial locations?
- taste and sight
 - touch and hearing
 - hearing and sight
 - sight and touch
- ___ 44. The moon just obscures the sun during a solar eclipse because the moon and the sun have roughly the same
- brightness.
 - horopter.
 - visual angle.
 - illusion.
- ___ 45. The 'cone of confusion' refers to ambiguity of sound localization with respect to which cue?
- head-related transfer function
 - motion parallax
 - binocular disparity
 - ITD
- ___ 46. Smells and color are both represented in the brain through _____ coding.
- specificity
 - multimodal
 - somatosensory
 - distributed
- ___ 47. Which visual depth cue tells you the absolute distance of an object, rather than its distance relative to other objects in the scene?
- relative size
 - accommodation
 - atmospheric perspective
 - occlusion
- ___ 48. Visual attention can modulate neural responses in all of the following areas EXCEPT:
- area MT
 - area MST
 - retinal ganglia
 - primary visual cortex (V1)

- ____ 49. The fovea is to vision as the _____ is to touch.
- a. pinky finger (D4)
 - b. middle finger (D2)
 - c. index finger (D1)
 - d. ring finger (D3)
- ____ 50. The easily detected curved contour in the figure below illustrates which Gestalt law?




- a. proximity
- b. good continuation
- c. familiarity
- d. common fate

Short Answer (5 questions, 3 points each)

51. Why does it make more sense to call cone classes 'S, M and L' rather than their original names 'blue, green and 'red'?

52. Name four depth cues illustrated in the scene below and one cue that can't be used.



53. Familiar size is a cue for visual depth perception. Name an example of how familiarity could also help determine the distance of an auditory sound.

54. Explain why it is difficult to read the screen on your laptop while viewing it outside on one of the 71 sunny days that Seattle receives during the average year?

55. Some somatosensory neurons have an excitatory center with an inhibitory surround receptive field. Use what you know about the visual system to describe how this affects the way these somatosensory neurons respond as a function of the size of the stimulated area.

**Psych 333 Spring 2008, Instructor Boynton, Final Exam
Answer Section**

MULTIPLE CHOICE

1. ANS: B
2. ANS: D
3. ANS: B
4. ANS: A
5. ANS: C
6. ANS: A
7. ANS: A
8. ANS: B
9. ANS: A
10. ANS: B
11. ANS: B
12. ANS: B
13. ANS: C
14. ANS: B
15. ANS: A
16. ANS: C
17. ANS: A
18. ANS: D
19. ANS: D
20. ANS: B
21. ANS: A
22. ANS: C
23. ANS: B
24. ANS: B
25. ANS: D
26. ANS: C
27. ANS: B
28. ANS: C
29. ANS: A
30. ANS: A
31. ANS: B
32. ANS: A
33. ANS: C
34. ANS: B
35. ANS: C
36. ANS: D
37. ANS: B
38. ANS: B
39. ANS: D

- 40. ANS: C
- 41. ANS: C
- 42. ANS: C
- 43. ANS: D
- 44. ANS: C
- 45. ANS: D
- 46. ANS: D
- 47. ANS: B
- 48. ANS: C
- 49. ANS: C
- 50. ANS: B

SHORT ANSWER

51. ANS:
The perception of a given hue, such as red, is not determined only by the response of a single cone class, such as the L cone class. Instead, the perception of hue occurs through a distributed representation of these cone classes - specifically through the excitatory and inhibitory connections described by opponent processing theory. So although the wavelengths for maximum sensitivity for the S, M and L cones fall on the spectrum that appear blue, green and red, it is misleading to call these 'blue', 'green' and 'red' cones because these cone classes do not lead directly to these three sensations.
52. ANS:
Valid cues:
- perspective convergence
 - relative size
 - familiar size
 - atmospheric perspective
 - relative height
 - occlusion
- Borderline cues:
- Texture gradient
 - Shadows
- Cues you can't use
- motion parallax
 - deletion and accretion (by motion)
 - binocular disparity
 - convergence
 - accommodation
53. ANS:
For a sound source that is familiar and doesn't typically vary in intensity, the intensity of the sound at the ear can determine how far away it is. For example, since car alarms are always very loud, if you hear a very quiet car alarm you can assume that it's far away rather than a nearby nearly silent car alarm right next to you. Another example is if you hear the loud sound of a mosquito, you can assume it's very near your ear, rather than the more unlikely event of a very loud mosquito far away.

54. ANS:

Weber's law states that the detection threshold for light increases in proportion to the background light level. A laptop screen gives off a relatively small amount of light which when viewed indoors is easily visible. But on a bright sunny day, the background light is several orders of magnitude brighter, leaving the fixed increment in lightness of your laptop below the detection threshold.

55. ANS:

LGN neurons in the visual cortex also have a center-surround organization. These neurons respond maximally to a disc of light that just covers the excitatory center. Similarly, we'd expect a center-surround somatosensory neuron to be 'tuned' to the size of the stimulated area of skin, with a maximum response when the stimulated area just covers the excitatory center.