Biol. 452 Field Trip Spencer Island, May 1, 2010



Spencer Island Field Trip, Species List (as seen & heard by Biol. 452 class) May 1, 2010 High tide 6:30AM of 10.4 ft. Low tide 1:30PM -2.0 ft (Tide values for Seattle, but they should be close)

Read about a grant to the Tulalip tribe to restore part of Ebey Slough: <u>http://stimuluswatch.org/2.0/awards/view/22493/qwuloolt-estuary-restoration-project-snohomish-river-estuary-puget-sound-washington-levee-removal-to-restore-hydrologic-connection-to-350-acres-of-historic-and-isolated-floodplain</u>

| | Class Actinopterygii | |
|---|--|--|
| Family Salmoniformes | Smolt stages of salmon? This is my best gue | ss of what we saw jumping. |
| | Class Amphibia (Lissamphibia |) |
| | | Pacific Chorus Frog (heard) |
| Learn about this frog: http://www1.dnr.wa.gov/nhp/refdesk/herp/speciesmain.html | | |
| | Class Mammalia | |
| | | Beaver (dam only) |
| | | Muskrat (feeding platform?) |
| | | Harbor Seal |
| | Class Aves | |
| Order Pelecaniformes | | Double-crested Cormorant |
| Order Anseriformes | | Canada Geese Mallard Gadwall Northern Shoveler Green-winged Teal Cinnamon Teal Ring-necked Duck Lesser Scaup Barrow's Goldeneye |
| Learn about Ruddy Ducks: http://www.seattleaudubon.org/birdweb/bird_details.aspx?value=search&id=95 | | Bufflehead |
| | | Ruddy Duck |
| Learn about Common Mergansers: <u>http://www.seattleaudubon.org/birdweb/bird_details.aspx?id=93</u> | | Common Merganser |
| Order Ciconiiformes | Great-blue Heron | |
| Order Gruiiformes | | American Coot |
| Order Charadriiformes | | Glaucous-winged Gull Bonaparte's Gull Killdeer (heard) |
| Order Falconiiformes | udubon.org/birdweb/bird_details.aspx?value=search&id=96 | Northern Harrier Red-tailed Hawk Bald Eagle Osprey (with nests) |
| Order Piciformes | | Northern Flicker |
| | | Downy Woodpecker |
| Learn about Pileated Woodpeckers: http:// | //www.seattleaudubon.org/birdweb/bird_details.aspx?value=searc | |
| Order Passeriformes | | Violet-green Swallow |
| Learn about Cliff Swallows: http://www.seattleaudubon.org/birdweb/bird_details.aspx?value=search&id=326 | | Bank Swallow |
| | | American Crow Black-capped Chickadee Marsh Wren American Robin Red-winged Blackbird House Finch (heard) Spotted Towhee Song Sparrow |
| | ww.seattleaudubon.org/birdweb/bird_details.aspx?value=search8 | |

Estuaries occur where a river mingles with the salt water. These wetlands have plants are rooted in salt water or plants that tolerate tidal changes. A slough is a place of deep mud or mire, a backwater or more stagnant area on a river or a creek in a tide flat.