## Ling 566 Nov 30, 2010

Long Distance Dependencies

#### Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint

## Examples

• wh-questions:

What did you find?
Tell me who you talked to

• relative clauses:

the item that I found the guy who(m) I talked to

• topicalization:

The manual, I can't find Chris, you should talk to.

• easy-adjectives:

My house is easy to find.

Pat is hard to talk to.

#### What these have in common

- There is a 'gap': nothing following *find* and *to*, even though both normally require objects.
- Something that fills the role of the element missing from the gap occurs at the beginning of the clause.
- We use topicalization and *easy*-adjectives to illustrate:

The manual, I can't find\_\_\_\_\_\_
Chris is easy to talk to \_\_\_\_\_

## Gaps and their fillers can be far apart:

• The solution to this problem, Pat said that someone claimed you thought I would never find\_\_\_\_.

• Chris is easy to consider it impossible for anyone but a genius to try to talk to \_\_\_\_\_.

That's why we call them "long distance dependencies"

# Fillers often have syntactic properties associated with their gaps

Him, I haven't met\_\_\_\_.

\*He, I haven't met\_\_\_\_.

The scissors, Pat told us \_\_\_\_ were missing.

\*The scissors, Pat told us \_\_\_\_ was missing.

On Pat, you can rely\_\_\_\_.


\*To Pat, you can rely\_\_\_\_.

#### LDDs in TG


- These were long thought to constitute the strongest evidence for transformations.
- They were handled in TG by moving the filler from the gap position.
- Case, agreement, preposition selection could apply before movement.

#### A big debate about LDDs in TG

• Does long-distance movement take place in one fell swoop or in lots of little steps?



Swooping



Looping

#### Looping is now generally accepted in TG

- Various languages show morphological marking on the verbs or complementizers of clauses between the filler and the gap.
- Psycholinguistic evidence indicates increased processing load in the region between filler and gap.
- This opens the door to non-transformational analyses, in which the filler-gap dependency is mediated by local information passing.


#### Very Rough Sketch of Our Approach

- A feature GAP records information about a missing constituent.
- The GAP value is passed up the tree by a new principle.
- A new grammar rule expands S as a filler followed by another S whose GAP value matches the filler.
- Caveat: Making the details of this general idea work involves several complications.

#### The Feature GAP


- Like valence features and ARG-ST, GAP's value is a list of feature structures (often empty).
- Subject gaps are introduced by a lexical rule.
- Non-subject gaps are introduced by revising the Argument Realization Principle.

#### The Revised ARP




- $\ominus$  is a kind of list subtraction, but:
  - it's not always defined, and
  - when defined, it's not always unique
- The ARP now says the non-SPR arguments are distributed between COMPS and GAP.

## A Word with a Non-Empty GAP Value



### How We Want GAP to Propagate



## What We Want the GAP Propagation Mechanism to Do


- Pass any GAP values from daughters up to their mothers,
- except when the filler is found.
- For topicalization, we can write the exception into the grammar rule, but
- For *easy*-adjectives, the NP that corresponds to the gap is the subject, which is introduced by the Head-Specifier Rule.
- Since specifiers are not generally gap fillers, we can't write the gap-filling into the HSR.

#### Our Solution to this Problem

- For *easy*-adjectives, we treat the adjective formally as the filler, marking its SPR value as coindexed with its GAP value.
- We use a feature STOP-GAP to trigger the emptying of the GAP list.
  - STOP-GAP stops gap propagation
  - easy-adjectives mark STOP-GAP lexically
  - a new grammar rule, the Head-Filler Rule mentions STOP-GAP

## The GAP Principle

A local subtree  $\Phi$  satisfies the GAP Principle with respect to a headed rule  $\rho$  if and only if  $\Phi$  satisfies:



#### How does STOP-GAP work?

- STOP-GAP is empty almost everywhere
- When a gap is filled, STOP-GAP is nonempty, and its value is the same as the gap being filled.
- This blocks propagation of that GAP value, so gaps are only filled once.
- The nonempty STOP-GAP values come from two sources:
  - a stipulation in the Head-Filler Rule
  - lexical entries for easy-adjectives
- No principle propagates STOP-GAP

#### The Head-Filler Rule

$$[phrase] \rightarrow \mathbb{I}[GAP \ \langle \ \rangle] \quad \mathbf{H} \begin{bmatrix} \text{HEAD} & \begin{bmatrix} verb \\ FORM & \text{fin} \end{bmatrix} \end{bmatrix}$$

$$[SPR \ \langle \ \rangle] \\ COMPS \ \langle \ \rangle \end{bmatrix}$$

$$[STOP-GAP \ \langle \ \square \ \rangle]$$

$$[GAP \ \langle \ \square \ \rangle]$$

- This only covers gap filling in finite Ss
- The filler has to be identical to the GAP value
- The STOP-GAP value is also identical
- The GAP Principle ensures that the mother's GAP value is the empty list

## Gap Filling with easy-Adjectives

$$\left\langle \text{easy ,} \begin{bmatrix} adj\text{-}lxm \\ \text{SYN} & \left[ \text{STOP-GAP } \left\langle \, \square \, \right\rangle \right] \\ \text{ARG-ST } \left\langle \text{NP}_i \,, \left[ \begin{matrix} \text{INF} & + \\ \text{GAP } & \left\langle \, \square \text{NP}_i \,, \dots \, \right\rangle \right] \right\rangle \right]$$

- Because STOP-GAP and GAP have the same value, that value will be subtracted from the mother's GAP value.
- The first argument is coindexed with the GAP value, accounting for the interpretation of the subject as the filler.

### A Tree for easy to talk to\_\_\_\_\_

## STOP-GAP Housekeeping

- Lexical entries with nonempty STOP-GAP values (like *easy*) are rare, so STOP-GAP is by default empty in the lexicon.
- Head-Specifier and Head-Modifier rules need to say [STOP-GAP < >]
- Lexical rules preserve STOP-GAP values.

## GAP Housekeeping

- The initial symbol must say [GAP < >]. Why?
  - To block \**Pat found* and \**Chris talked to* as stand-alone sentences.
- The Imperative Rule must propagate GAP values. Why?
  - It's not a headed rule, so the effect of the GAP Principle must be replicated
  - Imperatives can have gaps: *This book, put on the top shelf!*

## Sentences with Multiple Gaps

• Famous examples:

```
This violin, sonatas are easy to play____ on___.

*Sonatas, this violin is easy to play____ on___.
```

- Our analysis gets this:
  - The subject of *easy* is coindexed with the **first** element of the GAP list.
  - The Head-Filler rule only allows one GAP remaining.
- There are languages that allow multiple gaps more generally.

#### Where We Are

• filler-gap structures:

```
The solution to this problem, nobody understood_____

That problem is easy to understand_____
```

- The feature GAP encodes information about missing constituents
- Modified ARP allows arguments that should be on the COMPS list to show up in the GAP list
- GAP values are passed up the tree by the GAP Principle

#### Where We Are (continued)

- The feature STOP-GAP signals where GAP passing should stop
- The Head-Filler Rule matches a filler to a GAP and (via STOP-GAP) empties GAP
- Lexical entries for *easy*-adjectives require a gap in the complement, coindex the subject with the gap, and (via STOP-GAP) empty GAP on the mother

#### On to New Material....

- Sentences with subject gaps
- Gaps in coordinate constructions

## Subject Gaps

- The ARP revision only allowed missing complements.
- But gaps occur in subject position, too: *This problem, everyone thought* \_\_\_\_ was too easy.
- We handle these via a lexical rule that, in effect, moves the contents of the SPR list into the GAP list


## The Subject Extraction Lexical Rule

• NB: This says nothing about the phonology, because the default for *pi-rule*s is to leave the phonology unchanged.

## A Lexical Sequence This Licenses

Note that the ARP is satisfied

## A Tree with a Subject Gap



#### Island Constraints

- There are configurations that block filler-gap dependencies, sometimes called "islands"
- Trying to explain them has been a central topic of syntactic research since the mid 1960s
- We'll look at just one, Ross's so-called "Coordinate Structure Constraint"
- Loose statement of the constraint: a constituent outside a coordinate structure cannot be the filler for a gap inside the coordinate structure.

#### Coordinate Structure Constraint Examples

\*This problem, nobody finished the extra credit and\_\_\_\_\_

\*This problem, nobody finished\_\_\_\_ and the extra credit.

\*This problem, nobody finished \_\_\_\_ and started the extra credit.

\*This problem, nobody started the extra credit and finished\_\_\_\_.

• But notice:

This problem, everybody started\_\_\_\_ and nobody finished \_\_\_\_.

#### The Coordinate Structure Constraint

- In a coordinate structure,
  - no conjunct can be a gap (conjunct constraint), and
  - no gap can be contained in a conjunct if its filler is outside of that conjunct (element constraint)
  - ....unless each conjunct has a gap that is paired with the same filler (across-the-board exception)

#### These observations cry out for explanation

- In our analysis, the conjunct constraint is an immediate consequence: individual conjuncts are not on the ARG-ST list of any word, so they can't be put on the GAP list
- The element constraint and ATB exception suggest that GAP is one of those features (along with VAL and FORM) that must agree across conjuncts.
- Note: There is no ATB exception to the conjunct constraint. 

  \*This problem, you can compare only\_\_\_\_ and\_\_\_\_.

## Our Coordination Rule, so far

```
\begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_0 \end{bmatrix} \rightarrow \begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_1 \end{bmatrix} \dots \begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_{n-1} \end{bmatrix} \begin{bmatrix} \text{HEAD} & conj \\ \text{IND} & s_0 \\ \text{RESTR} & \langle \left[ \text{ARGS} \langle s_1 .... s_n \rangle \right] \rangle \end{bmatrix} \begin{bmatrix} \text{FORM} & \mathbb{1} \\ \text{VAL} & \mathbb{0} \\ \text{IND} & s_n \end{bmatrix}
```

- Recall that we have tinkered with what must agree across conjuncts at various times.
- Now we'll add GAP to the things that conjuncts must share

#### Our Final Coordination Rule

$$egin{bmatrix} {
m FORM} & {
m I} \ {
m VAL} & {
m O} \ {
m GAP} & {
m A} \ {
m IND} & s_0 \end{bmatrix} 
ightarrow$$

```
\begin{bmatrix} \text{FORM} & \mathbb{I} \\ \text{VAL} & \mathbb{0} \\ \text{GAP} & \mathbb{A} \\ \text{IND} & s_1 \end{bmatrix} \dots \begin{bmatrix} \text{FORM} & \mathbb{I} \\ \text{VAL} & \mathbb{0} \\ \text{GAP} & \mathbb{A} \\ \text{IND} & s_{n-1} \end{bmatrix} \begin{bmatrix} \text{HEAD} & conj \\ \text{IND} & s_0 \\ \text{RESTR} & \left\langle \left[ \text{ARGS} \left\langle s_1 .... s_n \right\rangle \right] \right\rangle \end{bmatrix} \begin{bmatrix} \text{FORM} & \mathbb{I} \\ \text{VAL} & \mathbb{0} \\ \text{GAP} & \mathbb{A} \\ \text{IND} & s_n \end{bmatrix}
```

- We've just added GAP to all the conjuncts and the mother.
- This makes the conjuncts all have the same gap (if any)
- Why do we need it on the mother?

## Closing Remarks on LDDs

- This is a huge topic; we've only scratched the surface
  - There are many more kinds of LDDs, which would require additional grammar rules
  - There are also more island constraints, which also need to be explained
- Our account of the coordinate structure constraint (based on ideas of Gazdar) is a step in the right direction, but it would be nice to explain why certain features must agree across conjuncts.

#### Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint