Ling 566 Nov 28, 2023

Long Distance Dependencies

© 2003 CSLI Publications

# Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint
- Reading questions

# Examples

- wh-questions:
  What did you find?
  Tell me who you talked to
- relative clauses:

the item that I found the guy who(m) I talked to

• topicalization:

The manual, I can't find Chris, you should talk to.

• *easy*-adjectives:

My house is easy to find. Pat is hard to talk to.

# What these have in common

- There is a 'gap': nothing following *find* and *to*, even though both normally require objects.
- Something that fills the role of the element missing from the gap occurs at the beginning of the clause.
- We use topicalization and *easy*-adjectives to illustrate:

<u>The manual</u>, I can't find\_\_\_\_\_ <u>Chris</u> is easy to talk to \_\_\_\_\_

# Gaps and their fillers can be far apart:

- <u>The solution to this problem</u>, Pat said that someone claimed you thought I would never find\_\_\_\_.
- <u>Chris</u> is easy to consider it impossible for anyone but a genius to try to talk to \_\_\_\_\_.

That's why we call them "long distance dependencies" Fillers often have syntactic properties associated with their gaps

Him, I haven't met\_\_\_\_.

\**He*, *I* haven't met\_\_\_\_.

The scissors, Pat told us \_\_\_\_\_ were missing. \*The scissors, Pat told us \_\_\_\_\_ was missing.


On Pat, you can rely\_\_\_\_. \*To Pat, you can rely\_\_\_\_.


# LDDs in TG

- These were long thought to constitute the strongest evidence for transformations.
- They were handled in TG by moving the filler from the gap position.
- Case, agreement, preposition selection could apply before movement.

#### A big debate about LDDs in TG

• Does long-distance movement take place in one fell swoop or in lots of little steps?





Swooping

Looping

#### Looping is now generally accepted in TG

- Various languages show morphological marking on the verbs or complementizers of clauses between the filler and the gap.
- Psycholinguistic evidence indicates increased processing load in the region between filler and gap.
- This opens the door to non-transformational analyses, in which the filler-gap dependency is mediated by local information passing.


#### Very Rough Sketch of Our Approach

- A feature GAP records information about a missing constituent.
- The GAP value is passed up the tree by a new principle.
- A new grammar rule expands S as a filler followed by another S whose GAP value matches the filler.
- Caveat: Making the details of this general idea work involves several complications.

# The Feature GAP


- Like valence features and ARG-ST, GAP's value is a list of feature structures (often empty).
- Subject gaps are introduced by a lexical rule.
- Non-subject gaps are introduced by revising the Argument Realization Principle.

# The Revised ARP




- $\ominus$  is a kind of list subtraction, but:
  - it's not always defined, and
  - when defined, it's not always unique
- The ARP now says the non-SPR arguments are distributed between COMPS and GAP.

# A Word with a Non-Empty GAP Value



# How We Want GAP to Propagate



What We Want the GAP Propagation Mechanism to Do


- Pass any GAP values from daughters up to their mothers,
- except when the filler is found.
- For topicalization, we can write the exception into the grammar rule, but
- For *easy*-adjectives, the NP that corresponds to the gap is the subject, which is introduced by the Head-Specifier Rule.
- Since specifiers are not generally gap fillers, we can't write the gap-filling into the HSR.

# Our Solution to this Problem

- For *easy*-adjectives, we treat the adjective formally as the filler, marking its SPR value as coindexed with its GAP value.
- We use a feature STOP-GAP to trigger the emptying of the GAP list.
  - STOP-GAP stops gap propagation
  - *easy*-adjectives mark STOP-GAP lexically
  - a new grammar rule, the Head-Filler Rule mentions STOP-GAP

# The GAP Principle


A local subtree  $\Phi$  satisfies the GAP Principle with respect to a headed rule  $\rho$  if and only if  $\Phi$  satisfies:



# How does STOP-GAP work?


- STOP-GAP is empty almost everywhere
- When a gap is filled, STOP-GAP is nonempty, and its value is the same as the gap being filled.
- This blocks propagation of that GAP value, so gaps are only filled once.
- The nonempty STOP-GAP values come from two sources:
  - a stipulation in the Head-Filler Rule
  - lexical entries for *easy*-adjectives
- No principle propagates STOP-GAP

## The Head-Filler Rule




- This only covers gap filling in finite Ss
- The filler has to be identical to the GAP value
- The STOP-GAP value is also identical
- The GAP Principle ensures that the mother's GAP value is the empty list

# Gap Filling with easy-Adjectives




- Because STOP-GAP and GAP have the same value, that value will be subtracted from the mother's GAP value.
- The first argument is coindexed with the GAP value, accounting for the interpretation of the subject as the filler.

## A Tree for easy to talk to\_\_\_\_





# W SPR of complement of easy not-identified with anything



Seems fishy

That's cool, no worries


Ohh subtle ... nice!

Total Results: 0



Start the presentation to see live content. For screen share software, share the entire screen. Get help at pollev.com/app

# Semantics for Kim is easy to talk to



# STOP-GAP Housekeeping

- Lexical entries with nonempty STOP-GAP values (like *easy*) are rare, so STOP-GAP is by default empty in the lexicon.
- Head-Specifier and Head-Modifier rules need to say [STOP-GAP < >]
- Lexical rules preserve STOP-GAP values.

# GAP Housekeeping

- The initial symbol must say [GAP < >]. Why?
  - To block \**Pat found* and \**Chris talked to* as stand-alone sentences.
- The Imperative Rule must propagate GAP values. Why?
  - It's not a headed rule, so the effect of the GAP Principle must be replicated
  - Imperatives can have gaps: *This book, put on the top shelf!*

# Sentences with Multiple Gaps

• Famous examples:

*This violin, sonatas are easy to play\_\_\_\_on\_\_\_.* \*Sonatas, this violin is easy to play\_\_\_\_on\_\_\_.

- Our analysis gets this:
  - The subject of *easy* is coindexed with the **first** element of the GAP list.
  - The Head-Filler rule only allows one GAP remaining.
- There are languages that allow multiple gaps more generally.

## Where We Are

• filler-gap structures:

<u>The solution to this problem</u>, nobody understood\_\_\_\_

That problem is easy to understand

- The feature GAP encodes information about missing constituents
- Modified ARP allows arguments that should be on the COMPS list to show up in the GAP list
- GAP values are passed up the tree by the GAP Principle

# Where We Are (continued)


- The feature STOP-GAP signals where GAP passing should stop
- The Head-Filler Rule matches a filler to a GAP and (via STOP-GAP) empties GAP
- Lexical entries for *easy*-adjectives require a gap in the complement, coindex the subject with the gap, and (via STOP-GAP) empty GAP on the mother

# On to New Material....

- Sentences with subject gaps
- Gaps in coordinate constructions


# Subject Gaps

- The ARP revision only allowed missing complements.
- But gaps occur in subject position, too:
  <u>This problem</u>, everyone thought \_\_\_\_ was too easy.
- We handle these via a lexical rule that, in effect, moves the contents of the SPR list into the GAP list




• NB: This says nothing about the phonology, because the default for *pi-rules* is to leave the phonology unchanged.

# A Lexical Sequence This Licenses



• Note that the ARP is satisfied

# A Tree with a Subject Gap



© 2003 CSLI Publications

# Island Constraints

- There are configurations that block filler-gap dependencies, sometimes called "islands"
- Trying to explain them has been a central topic of syntactic research since the mid 1960s
- We'll look at just one, Ross's so-called "Coordinate Structure Constraint"
- Loose statement of the constraint: a constituent outside a coordinate structure cannot be the filler for a gap inside the coordinate structure.

#### Coordinate Structure Constraint Examples

\*<u>This problem</u>, nobody finished the extra credit and\_\_\_\_\_ \*<u>This problem</u>, nobody finished\_\_\_\_ and the extra credit. \*<u>This problem</u>, nobody finished \_\_\_\_ and started the extra credit. \*<u>This problem</u>, nobody started the extra credit and finished\_\_\_\_

• But notice:

*<u>This problem</u>, everybody started\_\_\_\_\_ and nobody finished \_\_\_\_\_* 


# The Coordinate Structure Constraint

- In a coordinate structure,
  - no conjunct can be a gap (conjunct constraint), and
  - no gap can be contained in a conjunct if its filler is outside of that conjunct (element constraint)
  - ....unless each conjunct has a gap that is paired with the same filler (across-the-board exception)

#### These observations cry out for explanation


- In our analysis, the conjunct constraint is an immediate consequence: individual conjuncts are not on the ARG-ST list of any word, so they can't be put on the GAP list
- The element constraint and ATB exception suggest that GAP is one of those features (along with VAL and FORM) that must agree across conjuncts.
- Note: There is no ATB exception to the conjunct constraint. \*<u>This problem</u>, you can compare only\_\_\_\_ and\_\_\_\_.

### Our Coordination Rule, so far



- Recall that we have tinkered with what must agree across conjuncts at various times.
- Now we'll add GAP to the things that conjuncts must share

### Our Final Coordination Rule



- We've just added GAP to all the conjuncts and the mother.
- This makes the conjuncts all have the same gap (if any)
- Why do we need it on the mother?

### Closing Remarks on LDDs

- This is a huge topic; we've only scratched the surface
  - There are many more kinds of LDDs, which would require additional grammar rules
  - There are also more island constraints, which also need to be explained
- Our account of the coordinate structure constraint (based on ideas of Gazdar) is a step in the right direction, but it would be nice to explain why certain features must agree across conjuncts.

## Overview

- Some examples of the phenomenon
- What is new and different about it
- Brief sketch of the TG approach
- Broad outlines of our approach
- Details of our approach
- Subject extraction
- Coordinate Structure Constraint


## RQs: Gappy

I'm still confused about what it means for a sentence/phrase be "gappy". Specifically, the examples provided in (32) show how 32b is not gappy compared to 32a because the GAP list in 32b is empty; I'm confused because a gap exists in both phrases. What is the difference between the two?

## RQs: Coindex v. tag

In (38) pg 349, is there a reason we don't collapse tags \@1 and \@2 into just one tag, since they're the same co-indexed NP?


### A Tree for easy to talk to\_\_\_\_



### **RQs: ARP**

# • In (18), what happens if "B - C" is not defined?

### The Revised ARP




- $\ominus$  is a kind of list subtraction, but:
  - it's not always defined, and
  - when defined, it's not always unique
- The ARP now says the non-SPR arguments are distributed between COMPS and GAP.

## **RQs: GAP Principle**

• In The GAP Principle, why is the STOP-GAP value from only the head daughter is subtracted but not other non-head daughters? Is it because that non-head daughters do not have STOP-GAP values or that STOP-GAP values on non-head daughters do not matter to the mother node?

## The GAP Principle

A local subtree  $\Phi$  satisfies the GAP Principle with respect to a headed rule  $\rho$  if and only if  $\Phi$  satisfies:



## RQs: STOP-GAP


- Even after finishing the chapter, I am still confused about why we need STOP-GAP.
   Can you give some examples of how STOP-GAP works and what would happen if we didn't have it?
- Why is there no STOP-GAP feature list on any of the other Head daughters in (35) besides the S in the topmost subtree?

RQs: Relative clauses

 How do we use these new tools to form NP's modified by relative clauses? What's an example?

## RQs: Subject extraction

• The Subject Extraction Lexical Rule appears to be an effective approach, but I'm still curious how the ARP would be revised if we were to use the ARP to address subject gaps. Would it be really complicated? Also, is there a theoretical motivation for opting for a lexical rule instead of revising the ARP?



• NB: This says nothing about the phonology, because the default for *pi-rules* is to leave the phonology unchanged.

## RQs: Word order

• How do we ensure the filler is in the right place? Not licensing sentences like "Did what you hand to the baby?"

## RQs: Punctuation & parsing

• For some long distance dependencies, commas seem to play an important role in identification. For example: "The new song, no one liked" is an S where "The new song no one liked" is an NP. Could this be an argument for including punctuation in the syntax when analyzing gaps? Is it used as an additional check when software parses ambiguous sentences?

RQs: Dependency grammar

 How much overlap is there between how the grammar handles long distance dependencies and Universal Dependencies' framework?